


NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




Breakpoint = 64

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




Breakpoint = 32

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




Breakpoint = 64

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




Breakpoint = 4

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter




⬇ Breakpoint

NARMS - EB 1997

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Slaughter



⬇ Breakpoint